

Abdominal pain	27, 75
----------------	--------

Acute biliary cholecystitis	75
-----------------------------	----

Acute pancreatitis	80
--------------------	----

Acute stroke	63
--------------	----

Angioagulant therapy	51
----------------------	----

Anticoagulant	69
---------------	----

Antidote use	106
--------------	-----

Bibliometrics	147
Biliary colic	75
Biomarkers	121
Blunt abdominal trauma	87
Body packers	21
C-reactive protein	69
Catheter-related embolectomy	51
Catheterization	7
ChatGPT-4o	132
Clinical decision support systems	132
Consultation	27
COVID-19	69, 121
D-dimer	69
Diagnosis	99
Difficult airway	40
Direct laryngoscopy	40
Disaster	44
Disaster management	44
Disaster medicine	44
Drug mules	21
Drug-related intoxication	106
Earthquake	35, 44

Epworth Sleepiness Scale	127
Fear of pain	7
Female patient	27
Fetal PCA	63
Frailty	13
Gallstones	75
Generative pretrained transformer	132
Geriatric medicine	13
Glasgow Coma scale	1
Gynecology	147
Harmless acute pancreatitis score	80
Immature granulocytes	75
Infrared vein finder	7
Intoxication	106
Intubation	40
Laceration	114
Length of hospital stay	69
Length of stay	27
Local anesthesia	114
Lymphocyte	93
Manikin	40
Migraine	127

Opioid intoxication	21
Outcome	69
Overcrowding	27
Pain	7
PCOM	63
Pediatric patient	87
Pittsburgh Sleep Quality Index	127
Pneumonia	121
Poison control center	132
Predisposing factor	99
PTX	140
Pulmonary embolism	51, 58, 93
Pulmonary embolism severity index	93
Pyelonephritis	99
Revised trauma score	1
Scoper®	40
Score	35
Sleep quality	127
Suturation	114
Systemic immune-inflammation index	87, 93
Systemic inflammatory parameters	80
Systemic thrombolysis	51

Triage	13
Tube thoracostomy	140
Urinary tract infection	99
Uterine rupture	147
Vein	7
Video laryngoscopy	40
Wells	93
Wells criteria	58
Wound infection	114
YEARS algorithm	58